Stappy Holidays NOOT KOENCH December/January/February 2024 Issue 64



Nothing but **HEAVY DUTY**.

<text>

BUY ANY MILWAUKEE POWER TOOL AND GO INTO THE DRAW TO WIN 1ST OF DECEMBER 2023 - 29TH OF FEBRUARY 2024

1ST OF DECEMBER 2023 - Lotting *Purchase Any Milwaukee Power Tool Exclusively From SAECOWilson Or Motion Centres To Enter The Draw. One Entry Per Invoice. Ts&Cs Apply.



WIN a Euroblade 2,000W Infrared Heater Supplied by SAECOWilson worth \$399 RRP

Find 8 letters scattered throughout the magazine which spell a common tool. All correct entries will go in the draw. Entries close 3/2/24. See page 2 for more.









weber 1





MiMOTION

$\overset{\scriptscriptstyle{\downarrow}\!\scriptscriptstyle{\leftrightarrow}}{\sim} {\sf Season's}$ Greetings

And there you have it, our last issue for 2023! The team at Motion would like to wish each and every one of you a safe and happy festive season, and we look forward to working with you again in the new year.

This edition is jam-packed with some great giveaways and bonus offers. Our cover competition is sponsored by Milwaukee with 5x Weber Baby Qs up for grabs if you purchase any Milwaukee power tool from a SAECOWilson branch or Motion Centre in NZ. The wordfind competition has a 2,000W Infrared Heater you could win worth \$399, and get holiday-ready with some excellent deals on trailer gear - pages 14 and 15. On page 13 you can read about our new state-of-the-art GPC distribution centre that recently celebrated it's grand opening in Wiri and much, much more. Stay safe out there, and see you all again in 2024!

WORDFIND COMPETITION

WIN a Euroblade 2,000W Infrared Heater Supplied by SAECOWilson worth \$399 RRP



Find hidden in this issue 8 letters which make up the name of a common tool. Find all the letters (like this W) to spell the tool. Email your answer, name, company, address and phone by 1 February 2024. A correct entry will be randomly drawn and the winner will be notified. competition.nzworkbench@saecowilson.co.nz

CR Winner of National Promotion

Congratulations to Dave, who won a Suzuki DR-Z125L dirt bike worth \$4,999 by purchasing CRC Evapo-Rust from the SAECOWilson store in Glenfield.

Promotion was on our front cover July/Aug/Sep, issue 62.



Congratulations Stephen Bjarnesen of Rotorua Toyota and Peter McLeod of Priceright Parts and Machinery Rotorua, our Wordfind winners of the October/November issue, who each won a pair of Esko Max28 Bluetooth Earmuffs supplied by Esko worth \$100 RRP each.

The answer was GEARPULLER

WORDFIND AND FRONT PAGE **COMPETITION TERMS**

One entry per person (Wordfind) or one entry per invoice (Cover Competition). NZWB reserves the right to publish the winner's name. Competition is not open for employees, advertisers or their families. Prizes are not transferable and cannot be redeemed for cash. Any expenses incurred in claiming and using a prize are the sole responsibility of the prize winner. Competition is open to NZ residents only. The judge's decision will be final and no correspondence will be entered into. The winner will be contacted via phone number provided.





Bearings | Power Transmission | Engineering Supplies


MXFXC406 • \$1,029.25 inc gst



1 OF 5 WEBER BABY Qs

Purchase ANY Milwaukee power tool from SAECOWilson to enter the draw. Promo 1/12/23 to 29/2/24. Ts&Cs apply.





MXFC • \$454.25 inc gst

MiMOTION









0800 338 833

Mimotion



KOKEN14241M • \$194.35 inc gst

SAEC Wilson Bearings | Power Transmission | Engineering Supplies

workbench December/January/February 2024



Mimotion



SAEC Wilson Bearings | Power Transmission | Engineering Supplies

workbench December/January/February 2024



0800 338 833





ARCOTIG200ACDCHF • \$2,294.25 inc gst

ARCOMIG200PKG • \$918.85 inc gst

SAEC Wilson Bearings | Power Transmission | Engineering Supplies

ARCOPRO[®]

Mild Steel MIG Wire 5kg and 15kg Spools

- 5kg spool suits compact MIG machines
- Ideal for fabrication of thin gauge steels, general steel construction and fabrication of structural steel
- ER70S-6 classification



\$89.00

\$129.00

\$129.00

Gasless MIG Wire 5kg Spools

- Self-shielded, all positional wire for
- single and multipass applications Ideal for thin material and
- galvanised steel Suitable for light fabrication, general workshop and easy
- portable use without requiring a bottle of shielding gas
- E71T-11 classification



from \$**89**.00

Welding Helmets

Large View Gloss Black ARCOBLACK

- True colour four sensor professional filter
- Large viewing area 100x53mm
- Variable shade: 5-8 (plasma) and 9-13 with grind function

Digital XL View ARCOBLUE / ARCOCOPPER

- Ultimate clarity and detail with industry • leading 1/1/1/1 true colour
- Large viewing area 98x87mm
- ٠ Digital push button filter - grind, 5-8, 9-13

ARCOBLACK • \$102.35 inc gst ARCOBLUE • \$148.35 inc qst ARCOCOPPER • \$148.35 inc gst

1/4dr Socket Set 23pc

- 3/16-7/16" and 4-14mm
- Includes 90T ratchet, 2x extensions, breaker bar and universal joint
- Supplied in a steel case

KD87020 • \$86.25 inc qst

Combination

Long pattern wrenches

with 15° offset

Off-corner loading

grip and reduced fastener rounding

While stocks last

design for stronger

1/4-7/8" 15pc and 8-22mm 15pc

Wrench Set

While stocks last





Ratchet Wrench Sets

GШ

90-tooth design provides a 4° swing arc Off-corner loading on the box end •

Reversible Ratchet Wrench Set Metric 10pc

- Sizes: 10-19mm
- Flush mounted reversing lever
- BONUS Reversible Ratchet Wrench Set SAE 8pc worth \$314 RRP

Flex Head Ratchet Wrench Set Metric 12pc Sizes: 8-19mm

BONUS Flex Head Ratchet Wrench Set SAE 10pc worth \$430 RRP

While stocks last

KD87027B Reversible • \$297.85 inc ast KD87025B Flex Head • \$373.75 inc gst



GEARWRE



KD81902B • \$213.90 inc ast

0800 338 833

86.00

GEARWRENCH

Mimotion







BUILT FOR THE FUTURE...

NEW MEGA DC FOR MOTION

A new mega distribution centre – the size of eight rugby fields – is helping New Zealand's largest industrial parts supplier, Motion New Zealand Ltd, meet increased demand with quicker delivery of MRO (maintenance, repair, and operations) products to customers.

With the capacity to hold 140,000 product lines and process 16,000 items an hour, the official opening of Genuine Parts Company's (GPC) new facility in Wiri, Auckland, has enabled Motion to increase the service and product range it offers customers.

Motion Executive General Manager, Mark Forster, says customers are not only requiring greater speed, but also adaptability, to ensure products are available on demand.

"Improving the customer experience is critical but more importantly it's about having the right high-quality products available to our customers to enable them to get on and do their job to the highest quality.



With the distribution centre operating at full capacity it allows us to be agile and means we can get products to our customers more quickly and efficiently," he says.

Developed by leading modular warehouse and logistics systems experts SSI Schaefer, the new facility has one of the most advanced automation systems currently available globally.

The purpose-built distribution centre is packed with the latest equipment to enhance team safety and operational efficiency with a strong emphasis on sustainable design principles.

- Solar panels and advanced energy control systems
- Electric forklifts
- Rainwater collection creating a 35% annual water saving

GPC New Zealand Executive General Manager Jonathon Maddren says the system provides more than five times greater operational efficiency driving smoother and faster supply across the country.

"The investment GPC has made in automation and scale of operation will optimise our service and range for customers, partners, and our team. It's a game changer," says Maddren.

"The customer environment demands faster service than ever before. Our customers will experience the difference in speed and accuracy as this facility comes to full operation in the next few months. It is also enhancing the speed and efficiency of our supply partnerships and our service to our branch teams." Maddren says.


The Genuine Parts Company (GPC) is a global distributor of automotive and industrial parts through its brands: Motion (Industrial), NAPPA, and Repco (Automotive). It purchased Motion New Zealand Ltd – the leading distributor of bearings, power transmission, hose and fittings, seals, welding equipment and engineering consumables, in 2019.

0800 338 833

MiMOTION



TRAILER ACCESSORIES AND CONSUMABLES



SAEC Wilson Bearings | Power Transmission | Engineering Supplies

COUPLING LOCKS



ASSOCIATED PARTS



TIE DOWNS FOR TRAILER 500kg • 349025RB

TIE DOWNS FOR TRAILER 1500kg • 349035RB

TIE DOWNS FOR TRAILER 2500kg • RTD055PL

WOF AND REGO HOLDER WOF/Rego • TE12WOR WOF Holder • TE12WOF105



workbench December/January/February 2024

Mimotion

HP-100 Dual-Flo **Aluminium Lever** Hand Pump

- Compatible with petrol, diesel, aviation fuels. Kerosene and more
- ✓ 1.9L per stroke
- ✓ Dual-flo piston design pumps fluid on both the push and pull stroke
- Two-position handle for both high and low flow rate applications
- Light-weight aluminium body provides corrosion resistance and reduces tank stress
- Handle lock deters fluid theft
- 94-F0031600A \$573.85 inc gst

Pitstop 45, 12V

- ✓ Ready to install
- Complete diesel transfer solution
- Includes automatic reel with 14m hose (19mm), automatic nozzle, dual self-priming pumps and bypass valve
- Guaranteed flow rate of up to 45L/min

94-F00212000 • \$2,517.35 inc gst

Open Oil Reel 60bar 13mm x 10m

- Arm mounted four-roller hose guide
- Ratchet prevents lockup when hose is completely extended
- Hot galvanised and powder coated steel structure is corrosion and UV resistant
- Spring return with adjustable hose stop

94-HA6010120B • \$517.50 inc gst

\$364.00

Manual Hose Reels

Italian made premium quality manual hose reels with strong steel twin pedestal brackets, brass swivels and viton seals for oils, diesel fuel, air or water at a pressure of up to 20 bar. Motion can custom tailor hose size and length depending on your site needs, be it washdown, compressed air or oils or even bitumen.

90-74305/10

- ✓ ½" BSP inlet and outlet Capacity of 50m of ¼" or 17m of 1/2" hose
- ABS lightweight reel

\$418.60 inc gst



90-75300/10 ½" BSP inlet and outlet Capacity of 90m of ¼" up to 15m of ¾" hose



90-75400/10

1" BSP inlet and outlet Capacity of 150m of ¼" up to 15m of 1" hose

\$722.20 inc gst

\$628.00



90-75600/10

 1" BSP inlet and outlet Capacity of 320m of ¼" up to 30m of 1" hose

\$1,120.10 inc gst



dispenses 45L/min Complete with nozzle, filter, suction and delivery hose, cables



365.00

 Corrosion and UV resistant hot galvanised and powder coated steel structure

90-2315SFA • \$419.75 inc gst

- Easy and versatile installation
- Polyurethane hose reinforced with textile braid
- Adjustable hose stop

10mm x 15m

94-HA20153800A • \$517.50 inc gst

50.00

PILSI

- Portable diesel dispenser for non-commercial use
- Ideal solution for refueling in complex environments
- diesel transfer pump
- and switch in an IP55 box

94-F0023100B • \$543.95 inc gst
















PILSI





with thermal protector

IP44 rated for indoor and

covered outdoor use

Maximum 2300W (10A)

✓ Inlet cable: 1.3m

RAASM 240V, 10A, 15M

Electric Cable Reel

✓ 10A 240V cable (3G 1.5mm x 15m)

✓ Working temperature: -5°C to +40°C





\$<mark>2,189</mark>.00

\$**450**.00

PILS

SAECOWilson Bearings | Power Transmission | Engineering Supplies

KOSHIN PUMPS

Designed for industry, construction and agriculture.

91-SEV-25F \$458.85 inc gst

Weight: 5.5kg

Washing of livestock, barns or agricultural equipment

Pumping water with solid particles up to 2mm

Filling or draining water from ponds

Clear Water Pump 1" (25mm)

Ultra light 4 stroke engine. Easy start, less noise. Ideal for clear water applications. 1" inlet and outlets.

Applications:

- Construction and industrial drainage
- Landscaping and irrigation
- Water transfer

Maximum suction lift: 8 metres Maximum total head: 32 metres Weight: 7.4kg

Maximum delivery: 600 L/min

Maximum suction lift: 8 metres


Maximum delivery: 130 L/min

- Portable quad bike or ute packs
- Transferring diesel fuel



- Þ





Pumping of well water Filling water reservoirs

\$621.00 inc gst

Clear Water Pump 2" (50mm)

Large pump powered by the Honda GX120 fitted with diesel seals.

Applications:

- Water irrigation with sprinkler systems
- Pumping water from wells
- Filling water reservoirs

POWERED by HONDA

- Filling or draining water from ponds
- Commonly used to transfer
- diesel on mobile fuel tanks



91-SEV-50E \$471.50 inc gst

Clear Water Pump 2" (50mm)

Weight: 21kg

Powerful KOSHIN 210S engine with a focus on weight reduction. Easy to carry and light weight body.

Applications:

- Water irrigation with sprinkler systems
- Pumping water from wells
- Filling water reservoirs

Maximum total head: 30 metres

POWERED by HONDA



Maximum delivery: 115 L/min

Maximum suction lift: 8 metres

Maximum total head: 32 metres

91-SEH-50X \$759.00 inc gst

\$660^{.00}

\$**399**.00

Maximum delivery: 670 L/min Maximum suction lift: 8 metres Maximum total head: 27 metres

> • Filling or draining water from ponds

Washing of livestock, barns or agricultural equipment

Weight: 21.9kg

Pumping water with solid particles up to 3mm

Semi-Trash Pump 2" (50mm)

Particles up to 9mm can be pumped through. Long bolt assembly for easy maintenance. Powered by the KOSHIN K180 engine.

Applications:

.345.00

\$410.00


- Hire and rental services
- Irrigation, construction, industrial 1 and general water transfer



- Drainage of silt traps
- Pond and pool filling and draining

Suitable for sandy and muddy

water with particles up to 20mm



Maximum delivery: 580 L/min



91-STV-50X \$667.00 inc gst



Trash Pump 2" (50mm)

For the harshest applications where stones and solids are found constantly and high run times are required.

Applications:



- Maximum delivery: 700 L/min Maximum suction lift: 8 metres Maximum total head: 30 metres Weight: 47kg
- Water irrigation with sprinkler systems
- Pumping water from wells

\$1,546.75 inc gst

www.motionfluid.co.nz

Washing of livestock, barns or agricultural equipment

MiMOTION




INNOVATION AND EXCELLENCE

SAECOWilson and Gates have been in partnership for over 30 years and bring together the power of Gates' world class products and SAECOWilson's longstanding commitment to servicing New Zealand industry.

KEY FEATURES

While two V-belts may look similar, engineering design processes and materials can vary greatly, leading to vast differences in performance. With over 100 years of experience, Gates advanced V-belts are constructed to out-perform and outlast all other products.

V-belt Curves




CONVENTIONAL V-BELT

When V-belts are under tension and running in a pulley, they change shape. Gates V-belts are designed with the exclusive Gates Curves feature that consists of three key components: Concave sidewalls, Radius relief corners and an Arched top.

Concave sidewalls assure even contact with the pulley. Radius relief reduces corner wear and works in conjunction with the concave sidewalls for uniform tensile loading. The Arched top provides strength, preventing the "dishing" effect that is found in other belts not engineered for shape change. The superior Gates Curves work to evenly distribute wear and offer uniform cord support creating more efficient drives and increased service life.

Flex-Bonded Cords and Flex-Weave® Cover



Flex-Bonded Cords

A strong chemical bond is used between the tensile cord and the belt's rubber body, allowing all of the belt materials to function as one unit. The Flex-Bonded cords result in less stretch. The cords cannot creep inside the belt, often the case with low quality belts.

Flex-Weave® Cover

Belt covers should shield the belt core from destructive forces such as oil, dirt and heat. Gates patented Flex-Weave® cover takes that protection to the next level. Made out of a flexible fabric, treated to maintain a strong chemical bond to the belt core, the Flex-Weave® cover can withstand the stress of constant bending over an extended period of time, offering longer cover life and greater protection of the belt. They are engineered to keep belts running longer for less downtime. Other belts are typically made with biascut fabric which has a mechanical bond, making them more likely to split.


Transverse Rigidity



Fibre Loaded Rubber

Every V-belt must have a high level of rigidity across its width so that load is equally transferred by all of the tensile cords. It is equally important that there is a high level of flexibility along the length of the belt to reduce heat build-up and bending stresses. Gates belts are constructed with fibre loaded rubber so that the fibres are aligned in one direction, allowing the belt to easily bend around a pulley but have a high level of transverse (sideways) stability. The transverse rigidity of Gates V-belts is engineered to allow for better load life capacity and maximum efficiency from the belt.

Match-Free Belts



Match-Free Belts Since 1980

To prevent users from going through the cumbersome task of matching their V-belts, Gates has applied proven statistical process control (SPC) methods to material and assembly processes, creating the V80 and UNISET series of belts, which are built to tight tolerances in each size category.

Each V80 and UNISET belt is manufactured with a finite length tolerance so that any Gates belt will match and perform with any other V80 or UNISET belt of the same size and type. Made with high-modulus polyester tensile cords, Gates V80 and UNISET belts exhibit extremely low stretch, saving maintenance time and money.

SAEC Wilson



FIELD SERVICES, SOFTWARE and TRAINING

Our aim is to provide you with the right technical support, tools and training to ensure that you get the best performance from your equipment. SAECOWilson and Gates offer a range of services to ensure you get maximum reliability, reduced downtime and lower maintenance costs.

Engineering Technical Services



SAECOWilson and Gates field team members are available to work with you on site to provide solutions for any new drives or belt drive problems as well as surveying your entire site/plant, offering:

Drive design expertiseOn-site drive performance

evaluations

Laser alignment

Belt tensioning

- Drive operating condition analysis
- Belt failure analysisSolutions for special application
 - requirements
 - Recommendations and solutions

Gates Design Power

DESIGN POWER





The latest generation software platform from Gates offers multiple digital design tools to support the engineering and specification of belt-drive systems across a broad array of applications, making the process easier and more precise than ever before. Gates Design Power™ features updated and upgraded versions of Gates Design IQ[™] and Design Flex Pro[™] applications.

In addition to the user-friendly functionality of each of the specialised design modules, Design Power includes a state-of-the-art knowledge base with design guidance and the most sophisticated belt-performance models.

Preventive Maintenance Training Course

Gates offers certified Preventive Maintenance Training to assist in achieving the best performance from your belt drives and keeping downtime and maintenance to a minimum.

The most common causes of poor belt life are improper maintenance and improper installation. The course aims to ensure that these causes are illustrated to provide trouble free drives and increased uptime.

- Belt identification
- Belt construction
- Belt matching
- Belt drive problems
- Pulley and belt inspection
- Guard maintenance
- Shutdown procedures


Duration 3 – 4 hours Max 12 per class Cost: Dependent on group size

- Drive installation and alignment
- Belt tensioning techniques
- Re-tension periods
- Training on the use of tension and laser alignment tools
- Troubleshooting failure modes

Increase Uptime With Proper Maintenance

An effective preventive maintenance program keeps your facility running safely and at optimum capacity.

Properly maintained belt drives can be your most cost-effective and reliable power transmission solution. Industrial belt drive performance is negatively impacted by many factors:



IMPROPER DRIVE MAINTENANCE 42% ENVIRONMENTAL FACTORS 15% IMPROPER INSTALLATION 20% POOR DESIGN 20% IMPROPER HANDLING 2% DEFECTIVE COMPONENTS 1%

Eliminating any of these factors has an impact on your productivity! Attend the Gates' Preventive Maintenance Training Course. SOURCE:

Gates Industrial Belt and Drive Preventive Maintenance Manual

MiMOTION



INDUSTRIAL V-BELT DRIVE GUIDE

V-Belts Hi-Power™ II

 Concave sidewalls, and arched top to prevent dishing, and rounded bottom corners relieve internal stress and help make Hi-Power™ II the best performing classical section, heavy-duty V-belt on the market



V-Belts Quad-Power™ 4

- High temperature raw-edge, notched, narrow section V-belt
- Applications with extreme heat (up to +130°C)
- Need to reduce your maintenance and downtime?
- Pulleys too small for your wrapped V-belts?

NEW




V-Belts Super HC[™]

- Pioneered by Gates, Super HC[™] belts feature a narrow cross section construction that can transmit up to 3x the power of a classical belt
- Suitable for all heavy-duty industrial applications, particularly where space, weight and power capacity are critical



V-Belts Predator™

- Designed for the toughest, dirtiest and most aggressive applications with unparalleled shock and stretch resistance
- Designed to withstand debris, punctures and slippage
- No stronger V-belt available anywhere!



V-Belts Tri-Power™

- Gates Tri-Power™ is a raw edge, moulded notch, classical section V-belt suitable for very high temperatures
- Patented EPDM construction
 Some sizes available as Powerbands



V-Belts Micro-V[®]

- Outstanding performance at higher speeds on small diameter pulleys
- Micro-V[®] offers extremely smooth running in a compact drive package



V-Belts PowerBand™

- PowerBand[™] belts consist of several belts joined together by a tie band running across the back of the belts
- The solution for drives where single belts vibrate, turnover or jump out of the pulley
- Available in all sections including Predator[®]



V-Belts Polyflex[™] and Polyflex[™] JB[®]

- For use on machine tools requiring high performance in limited space
- Suitable for high speeds and extremely small pulley diameters
- Available as single and joined V-belts








INDUSTRIAL SYNCHRONOUS BELT DRIVE GUIDE

Synchronous Belts PowerGrip™

 Classical synchronous belt, often referred to as a trapezoidal belt due to the tooth profile, offers a maintenance free and economical alternative to conventional drives like chain and gears

Synchronous Belts PowerGrip[™] GT4[™]


- Larger temperature range capability
- Higher power-carrying capacity giving you the option to use a narrower belt



XL, L, H, XH, XXH

Synchronous Belts PowerGrip[™] HTD[™]

 HTD[™] curvilinear tooth profile guarantees high power transmission in low speed, high-torque applications



Synchronous Belts Poly Chain® GT® Carbon™

- The most powerful synchronous belt in the world!
- Maintenance free running makes it an excellent alternative to roller chain and can replace up to 1" pitch triplex chain in capacity



Synchronous Belts Poly Chain® Carbon™ VOLT™

NEW

- Poly Chain[®] Carbon[™] Volt[™] belts deliver unmatched antistatic performance
- Flex fatigue life of carbon is exceptional, and its high impact strength withstands shocks and surge loading



Synchronous Belts Synchro-Power™

- For drives generally of a European origin requiring maximum power transmission combined with tight and accurate tolerances
- Extensive range now ex-stock



Synchronous Belts Long Length

- Open end synchronous belting especially suitable for linear movement
- Available in rubber and polyurethane and with glass and steel tensile cords
- Special tooth coatings and backings are also available from Gates TPU

(Jutes), TPU BELTS



Maintenance Kits

- Optimum belt drive performance is not achieved via guess work, you need the right tools for the job
- Gates' most popular maintenance tool kit allows any belt drive to be accurately installed and maintained
- Includes Gates' premium 550C Sonic Tension Meter and EZ Align™ Green laser alignment tool
- Three kit versions are available with slightly different components included to suit your requirements and budget



0800 338 833

SUPER HOT SPECIALS

Mimotion



SAEC Wilson

workbench December/January/February 2024



workbench December/January/February 2024

MiMOTION



SAEC Wilson

workbench December/January/February 2024



0800 338 833

Mimotion



RC106 10-ton Cylinder RSM200 20-ton Low Height Cylinder P392 Two Speed Hand Pump HC7206 1.8m Hose

www.saecowilson.co.nz

Promo packs available until 31/1/2024 or while stocks last.

SAEC Wilson

workbench December/January/February 2024



0800 338 833

Mimotion

from \$

from Ş

3S Heavy-Duty Industrial Chain Blocks

- Reinforced side covers ensure full protection of vital gears, shafts and bearings
- Grade T(80) calibrated alloy load chain guarantees load lifting safety
- Industrial bearings ensure minimum lifting effort under load
- Superior Weston-type friction braking system, with high-strength twin-pawls for additional safety
- Roller chain guides top and bottom to help stop load chain jamming
- Complies to AS 1418.2



FS-2-2000X1 • \$10.58 inc gst

FS-2-2000X2 • \$18.06 inc gst

FS-2-2000X3 • \$25.30 inc ast

FS-2-2000X4 • \$33.35 inc gst

www.s

503025 250kg 1.5m Silver • \$159.85 inc gs
503053 500kg 3m White • \$171.35 inc gst
503056 500kg 6m White • \$240.35 inc gst
503103 1T 3m Violet • \$217.35 inc gst
503106 1T 6m Violet • \$264.50 inc gst
503206 2T 6m Green • \$431.25 inc gst
503303 3T 3m Yellow • \$403.65 inc gst

BEAVE

st	\$139.00
	\$149.00
	\$209.00
	\$189.00
	\$230.00
	\$375.00
	\$351.00

3S Industrial Chain Lever Blocks

- Load chain is made of high-resistance, black finish, grade 80 alloy steel heat-treated, calibrated and marked according to ISO 3077/1834
- Every lever block is tested to its rated capacity and is supplied with a Beaver test
- certificate, relating to its stamped identification side plate
 Colour coded for easy identification, matching international lifting standards
- Colour coded for easy identification, matching international lifting standards
 Top and bottom hooks are fitted with ball bearing swivels and safety latches
- Machined and heat treated gears, running on industrial roller bearings,
- for durability and longevity
- Complies to AS 1418.2

 506025 250kg 1.5m Aluminium Gunmetal • \$148.35 inc gst
 \$129.00

 506050 500kg 1.5m Aluminium Gunmetal • \$224.25 inc gst
 \$195.00

 506080 800kg 1.5m White • \$228.85 inc gst
 \$199.00

 506160 1.6T 1.5m Violet • \$320.85 inc gst
 \$279.00

 506320 3.2T 1.5m Yellow • \$481.85 inc gst
 \$419.00

Flat Lifting Slings

- In lifting applications they stretch less than rope slings yet still absorb shock load well
- Colour coded to the relevant safe working load and supplied with test certificates
- Manufactured to AS 4497.1 and AS 1353.1 in double ply construction for extra safety
- Available in 1,000kg, 2,000kg and 3,000kg capacity in various lengths

FS-2-1000X1 • \$5.87 inc gst	\$5.10
FS-2-1000X1.5 • \$10.24 inc gst	\$8.90
FS-2-1000X2 • \$10.35 inc gst	\$9.00
FS-2-1000X3 • \$14.26 inc gst	\$12.40

All Purpose Round Lifting Slings

- Lightweight and flexible in multiple directions
- Suitable for lifting fragile loads
 Manufactured to AS 4497.1
- Manufactured to AS 4497.1
 Colour coded to the relevant safe working load and supplied with test certificates
- Available in 1,000kg, 2,000kg and 3,000kg capacity in various lengths

MRS1000X1 • \$5.64 inc gst	\$4.90
MRS1000X2 • \$13.00 inc gst	\$11.30
MRS1000X3 • \$15.30 inc gst	\$13.30
MRS1000X4 • \$24.15 inc gst	\$21.00
MRS2000X1 • \$9.09 inc gst	\$7.90

		and seen of the second	
0	MRS2000X1.5 • \$12.31 inc gst	\$10.70	MRS3000X2 • \$23.81 inc gst
0 60 60 60 00	MRS2000X2 • \$17.25 inc gst	\$15.00	MRS3000X3 • \$34.96 inc gst
0	MRS2000X3 • \$24.96 inc gst	\$21.70	MRS3000X4 • \$45.77 inc gst
0	MRS2000X4 • \$28.18 inc gst	\$24.50	MRS3000X5 • \$50.95 inc gst
0	MRS3000X1 • \$12.42 inc gst	\$10.80	MRS3000X6 • \$74.64 inc gst

B	∃ _\	13	R	ß

\$20.70

\$30.40

\$39.80

\$44.30

\$64.90

from S

\$15.00

\$22.50

from S

FS-2-3000X1 • \$17.25 inc gst

FS-2-3000X2 • \$25.88 inc gst

FS-2-3000X3 • \$34.39 inc gst \$29.90

V	/	
aecowi	lson.co.nz	

\$9.20

\$15.70

\$22.00

\$29.00

SAEC Wilson

workbench December/January/February 2024

Bearings | Power Transmission | Engineering Supplies

ProBloc SPF 50+ Sunscreen

- Dry touch technology for a light, non-greasy feel which is convenient when using power tools
- Four hours water resistant
- Contains vitamin E and aloe vera
- Skin friendly, dermatologically tested formula
- Reef safe

SS125-50 125ml • \$10.35 inc gst SS250-50 250ml • \$19.55 inc gst SS500-50 500ml • \$29.90 inc gst SS1-50 1L • \$44.85 inc gst

Assassin Nitrile **Grip Gloves**

- Ultra thin micro sand dip offers outstanding dexterity
- High quality, lightweight and breathable
- 15 gauge polyester and lycra combination liner
- Excellent grip in wet and oily conditions

NNFB 7-11 (S-2XL) • \$6.30 inc gst

P2 Valved Dust Masks 12pc

- Suitable for use with dust, smoke, mist and fumes
- Lightweight moulded design with foam nose seal
- ProValve for increased exhalation efficiency and reduced heat build-up
- Reusable bag for hygienic storage

PC321BOX • \$24.15 inc gst

Welding **Gloves Blue**

- 406mm length for forearm protection
- Premium blue cow split leather with reinforced thumb, palm patch and knuckle bar for added durability
- Kevlar[®] stitched to withstand high temperatures for longer periods
- Lined and welted





Heavy-Duty Nitrile Gloves 100 Pack

- Tested to EN455-1:2011 Water Leak Test
- Tested to EN455-2:2010 Resistance Test
- Tested to EN455-3:2007 Powder-Free Test
- Nitrile 6mil thickness heavy-duty gloves
- Latex-free, vinyl-free and powder-free



-.00

0.00

MDNPFHD S-2XL • \$18.40 inc gst

Cirrus Anti-Fog Glasses

- Medium impact
- 99.9% UV protection
- Anti-fog and anti-scratch lens
- Super flexible soft temple arms enhance grip and comfort
- Ergonomic lens design



PRO9180 • \$10.35 inc gst

Python Slimline Class5 Earmuffs

- Class5, SLC80, 31dB
- Hi-vis for visual identification
- Adjustable with high performance steel wire construction
- Hearing protection for noise levels up to 116dB
- Padded foam headband and high quality ear cushions

EMPYTS • \$33.35 inc gst

V9 Vented Hard Hat

- Nine air vents for increased air circulation
- Six-point ratchet harness with sweatband
- Extended peak and edge guttering
- Supplied in white
- Other colours available on request



HHV9-W • \$22.43 inc ast

Œ

4 4



PRO CHOICE SAFETY GEAR





PYROMATE

ELDING GEAF

MiMOTION



HIGHWAY & NT PATCH

A rapid set cement repair for repairing footpaths, driveways, damaged paving and tiles.

- ✓ EASY TO USE Just add water
- FAST CURE Minimum shutdown for traffic and pedestrians
- NON-TOXIC No fumes or odours
- ✓ HIGH STRENGTH



100

An epoxy ester non-slip floor and outside surface coating designed for application in heavy pedestrian traffic areas.

- SINGLE COMPONENT Easily applied by trowel or roller
- MEETS ANTI-SLIP STANDARD AS4586
- MULTIPLE APPLICATIONS Pedestrian ramps, stairways and walkways



Industrial Cleaner and Degreaser 20L

- Non-toxic and biodegradable
- Varied dilution for specialised cleaning • Broad range of applications including
- dip tanks and parts washers Cuts through tough grease, oils, cutting fluids, built-up grime and residue
- MPI C32 and ECNZ approved

SG13004 • \$172.50 inc gst

Parts Washer Fluid

• Aqueous-based, formulated for use in both

conventional and rotating parts washing

Safe alternative to dangerous, flammable,

be disposed of into oil/water separators

reducing hazardous disposal costs

Best suited where less foam is desired

machines that use a water based degreaser

Multi-use product which can be diluted for

general cleaning and degreasing applications

Features Quick Break and the used liquid can

Concentrate 20L

caustic degreasers and solvents



EPIREZ

SAFE

STEP

100

Concentrated Truck Wash 20L

- Highly concentrated cleaning product that can be applied by pressure washer, foaming gun, spray pack or brush sponge
- Low foaming, reducing the amount of water needed when rinsing
- Ideal for use in wash bays that are equipped with an oil/water separator

SG19480 • \$165.60 inc gst


Multi-Dilution Foamer 1.4L

- Convenient, non-electric foamer that adjusts from a powerful, wide spray down to precision streaming
- Produces a thick, consistent foam that clings to hard-to-reach surfaces
- Hose-end attachment provides quick transition from cleaning and sanitising to rinsing
- Handle lock for continuous operation
- Wide mouth opening for easy refilling
- Comes with 13 coloured metering tips





- HT1475 \$144.90 inc gst



.

SAEC Wilson

workbench December/January/February 2024

Bearings | Power Transmission | Engineering Supplies

Purchase any product from the CRC Brakleen range to be in to WIN a BRAKE ESCAPE. Prize gifted as a \$2,500 Flight Centre gift card. Enter online at crc.co.nz - promotion period 1/1/24 to 31/03/24 \$2,500 Gift Card FLIGHT CENTRE The Inflore Experts

CRC

Brākleen or Brākleen

- No disassembly required
- Fast evaporation, minimises downtime
- Leaves no residue prevents harmful build-up and eliminates rinsing
- Quickly and safely removes brake fluid, grease, oil and other contaminants
- from brake linings, pads, drums and calipers *CRC5089*High pressure spray formulated to forcefully cut through and remove thick build-ups *CRC5087*

CRC5089 Original 600ml per can • \$12.65 inc gst CRC5087 Blaster 600ml per can • \$12.65 inc gst

CRC5082 Non-flammable 550g • \$10.35 inc gst CRC5084 Non-chlorinated 525ml • \$10.35 inc gst CRC5083 Fast Dry 600ml • \$11.73 inc gst CRC1751843 Water-based 500ml • \$13.80 inc gst CRC5090 Original 4L • \$100.05 inc gst CRC5092 Fast Dry 20L • \$149.50 inc gst

CR@

CRE

WATTS

NEW

WattsUp Solar Panel Cleaner

- Restores solar cells' efficiency
- Removes bird droppings, dust, dirt, salt spray, and more
- Anti-static, non-corrosive and contains no solvents
- Concentrated for mixing with water (1:30) - 1L makes up to 31L, cleaning up to 125x panels or 204m²
- Rinses off with water

CRC1754785 1L • \$24.84 inc gst CRC1753427 5L • \$90.85 inc gst

CRC SmartWasher BIOREMEDIATING Parts Washing System

The CRC SmartWasher® Bioremediating Parts Washing System is both self-cleaning and environmentally friendly.

The pH neutral cleaner called OzzyJuice is used to effectively clean parts, removing grease and grime while the naturally occurring process of bioremediation is used to turn those potentially hazardous contaminants into a harmless by-product of carbon dioxide and water.

BONUS^{*} Choice of: G-Shock Watch GA-700 Series or \$150 Gift Card from Hunting and Fishing

*Purchase any CRC SmartWasher + Start-up kit and receive a BONUS gift of your choice (G-Shock Watch GA-700 Series or \$150 Gift Card from Hunting and Fishing. While stocks last. Fluids in start-up kit vary depending on machine purchase.

SW37 unit shown - promotion available to all SmartWasher + Start Up Kits for part codes shown. Promotional period 1/12/23 to 29/2/24. T's & C's apply.



BONUS While stocks last

Until 31/12/23 every specially marked 6 pack of Brakleen or Brakleen Blaster contains a \$10 Subway voucher.

From January until 29/2/24 receive 1x 8 pack of 330ml Coca-Cola cans when you purchase any specially marked 6 pack.



6.90

lelt Dress



Belt Dressing 500ml

- Suitable for multi-ribbed, alternator, steering and other accessory belts
- Extends life of old and
- worn beltsReduces belt tension
- Reduces beit tension
 Non-tacky and non-drvi
- Non-tacky and non-drying

CRC1753472 • \$19.44 inc gst

Kit includes:

4+1 FREE 20L OzzyJuice

and 2+1 FREE OzzyMat

5+1 FREE 20L OzzyJuice

and 2+1 FREE OzzyMat



CR©



SW23-1, SW23-4, SW23-8, SW25-1, SW25-4, SW25-8, SW28-1, SW28-4, SW28-8

SW37-1, SW37-4, SW37-8, SW37-X1 For further information please

contact any SAECOWilson branch.



.60

CRC1754785

IIIINOTION SAECQWIS Bearlags | Power Transmission | Englineerin



LOCTITE

LOCK – SEAL - RETAIN



Farmlands

0800 338 833

www.saecowilson.co.nz

////Dunedin

SAECOWIISON (SIL) SEAL OHD

Invercargill



71A Wiri Station Rd, Manukau Auckland wiri@saecowilson.co.nz Ph: (09) 263 4864

PUKEKOHE 89 Manukau Rd pukekohe@saecowilson.co.nz Ph: (09) 237 1511

639 Tremaine Ave palmerstonnorth@saecowilson.co.nz

Ph: (06) 356 9561 WELLINGTON 122 Hutt Rd, Petone, Wellington wellington@saecowilson.co.nz

Prices are current for promotional period only and all goods are subject to availability. Where promotional goods are sold out, we will endeavour to locate goods of equivalent value where possible. Prices are subject to change without notice. We have been as accurate as reasonably possible while providing product descriptions and pricings. However, we do not warrant that descriptions or prices are complete, reliable or error-free. Non-stocked promotional goods may be subject to additional freight charges.

Ph: (04) 568 3189