MARCH - APRIL 2025





MINOTION Motion.co.nz



BLACK SERIES BEARING UNITS

FAG Black series of single row transmission bearing units manufactured to JIS (Japan) standard is available from SAECOWilson.


This series of housings is manufactured at FAG's high tech production facility in Vietnam to service the requirements of Asia, Oceania and Australasia regions which are predominantly based around the JIS series of bearing units.

For more information contact our branches on 0800 338 833

- High quality flake graphite cast iron (grey cast iron) castings to JIS B 1557
- Full range of housing styles in pedestal, flange, take up etc.
- Close tolerance bearing to housing fits for consistently firm fitting assemblies
- High quality bearing inserts with honed raceways and plastic ball cages for silent running
- Outer surfaces of bearing insert Durotect® coated for corrosion protection


World's Leading Manufacturer of Specialist Lubricants for All Industries





Whatever your industry, from high tech high precision CNC equipment to bakery ovens to the largest and heaviest mining machinery, Klüber Lubrication together with SAECOWilson will provide the best lubrication solution.

IIIIMOTION SAECOWIISON









Battery Operated 20L Oil Pump

- Alemlube rechargeable battery operated 20L oil drum pump
- Supplied with a power head, a lithium-ion battery, a battery charger & a delivery hose
- Delivers up to 250 litres per battery charge

AL11028



Oxy Acetylene Hose Reel

- 15m x 6mm ID hose and 0.9m lead in hose
- Maximum working pressure of 300psi (20bar)
- 5/8UNF inlet/outlet
- Detachable steel mounting bracket enables 180° hose reel rotation
- Can be mounted on the wall or ceiling ALSO600



- Heats viscous fluids to a pourable temperature
- Maximum operating temperature of 218°C
- Built-in temperature control for safety
- Surface grounded electrically with internal metal screen
- Resistant to chemicals and weather
- Easy to clean and rolls up after us

ALDH180240



GREAT FOR WINTER

66850



1/2Dr 20pc **Deep Impact Socket Sets** - Metric & **Imperial**

Thin wall design, impact rated, chrome moly steel. Use with both impact and hand tools

- MM: 10 to 21mm
- SAE: 7/16" to 1"

KIT8889





3000kg Garage Jack & 1500kg **Jack Stands**

- Jack lifting range: 140mm to 520mm
- Jack stands support range: 278 to 428mm

WTC3015

1/2Dr 79pc Metric Tool Set

· The all-rounder, this kit is an excellent all-round tool kit.

· It includes almost everything you need to fix a breakdown on the side of the road.

KBT2957









Multi-Purpose Wipes 190pc

- Specially designed with the industrial cleaning strength of Crystal Simple Green®
- Convenient cleaning and scrubbing of water-safe surfaces. Safely removes grease, oil, wet paint, carbon, graphite, tar, soot, grime, and much more
- Ready-to-use, non-toxic, non-citrus formula with no added colour or scent

SG13358



Industrial Cleaner & Degreaser **Concentrate**

- Non-toxic and biodegradable
- Varied dilution for specialised cleaning
- Broad range of applications including dip tanks and parts washers
- Cuts through tough grease, oils, cutting fluids, built-up grime and residue
- MPI C32 and ECNZ approved

SG13003 \$23.50 SG13004 20L \$142





Concentrated Truck Wash 20L

- · Highly concentrated cleaning product that can be applied by pressure washer, foaming gun, spray pack or brush sponge
- Low foaming, reducing the amount of water needed when rinsing
- Ideal for use in wash bays that are equipped with an oil/water separator

SG19480





≥workbench



M18 Duel Bay Super Charger

- Ideal for the M18™ REDLITHIUM™ FORGE™
- Twin charge ports suit all M18[™] batteries
- COOL-CYCLE™ active cooling system compatible, providing high-speed cooling for less downtime
- · More economical for the user due to better cycle life and faster charging

M18DBSC



- M18 REDLITHIUM™ High Output 6.0Ah Battery - Provides unmatched runtime for demanding tasks
- RAPID STOP™ Brake Stops accessories in under 3 seconds for increased safety
- Adjustable Guard Enables tool-free adjustments for improved convenience

M18FSAG125XPDB2602



M18 FUEL™ **Metal Cutting Circular** Saw (Tool Only)

- Overload protection
- · Electronic clutch
- · LED work light

M18FMCS-0



Klingspor 125x1mm Cutting Discs

Klingspors top selling A60TZ cutting disc for professional tradesman. Highly aggressive with quick cuts & long service life.

- · Excels at cutting metal sheet, thin pipe or profiles of steel or stainless
- Aggressive cutting discs to speed up jobs and boasts a long service life for more cost savinas

KSCO125X1INOX



Klingspor 125x6mm INOX Grinding Discs

Unique bond for consistent, fast grinding on all metal. Iron free for stainless processing and high carbon steels.

- Optimum price performance and service life
- High stock removal on stainless steel and carbon steel

KSGD125DCS/S



Improved ceramic flap discs from Klingspor with new CEVOLUTION technology.

- Excellent price performance ratio
- New high performance CEVOLUTION Ceramic grain

FD5SMT974125-40 40G FD5SMT974125-60 60G FD5SMT974125-80 80G

Starrett

Utility Safety Knife

Stainless steel utility safety knife with hidden blade when not in use.

- · Easy-to-use safety lock allowing hidden blade to be exposed instantly
- Thumb wheel accurately adjusts cutting depth

SO11





Digital Calipers

The EC799BF offers a slim, streamlined profile, a large clear easy to read LCD display and function buttons for zero and mm/inch/ fraction reading.

- 0-200mm/0-8"range
- 0.01mm/0.0005"/1/64" fraction resolution
- Supplied in protective EVA case
- Hardened stainless steel body

EC799F-6/150 6"/150mm EC799F-8/200 8"/200mm EC799F-12/300 12"/300mm **\$310**



complete with magnetic base to suit wide range of measuring applications.

- · Dial indicator with 10mm range, 0.01mm graduations, 0-100 reading
- Magnetic base 190mm height with positive on/off switch & fine adjustment

3657AA+3025-481

ARCOPRO°



Digital XL View Welding Helmet

- Ultimate clarity and detail with industry leading 1/1/1/1 true colour
- · Large viewing area 98x87mm
- Digital push button filter grind, 5-8, 9-13

ARCOBLUE Blue ARCOCOPPER Copper



Large View Welding Helmet

- · True colour four sensor professional filter
- · Large viewing area 100x53mm
- Variable shade: 5-8 (plasma) and 9-13 with grind function

ARCOBLACK



CUT40 40A Inverter Plasma Cutter

- Suitable for all conductive metals: aluminium, stainless steel, mild steel and copper
- Clean cut up to 10mm mild steel, severance 13mm
- Popular PT31 4m torch
- Single phase with 15A plug
- IP21 protection, insulation class H
- Weight 7.5kg

ARCOCUT40



- · 200A inverter Stick welder
- · Single phase with 15A plug
- · Automatic hot start, arc force and anti-stick
- · DC Lift-TIG with optional TIG torch

ARCOMMA200

MIG WELDER 3IN13 PHASE

- 350 3-in-1 multiprocess welder with separate wire feeder
- Stick and Lift-TIG function
- Three-phase 20A supply
- Supplied with electrode holder, MIG torch, regulator and more

ARCOMIG350SWF ARCOMIG500SWF 350Amp 500Amp

\$5,290 \$5,999



- Adjustable pulse frequency and width
- · High frequency or Lift-TIG arc starting
- Stick welding with adjustable hot start and arc force
- · Variable amp torch included
- Single phase with 15A plug

ARCOTIG200ACDCHF






MIG WIRE SPOOL

- Available in 5kg spools for compact and portable MIG machines or 15kg spools for workshop use and large scale fabrication
- Ideal for fabrication of thin gauge steels, general steel construction and fabrication of structural steel
- · ER70S-6 classification

ARCO70S60.9SP5 5kg **\$51.75** ARCO70S60.9SP15 15kg **\$56.35**

MIG WELDING PACKAGE



- · Synergic and manual MIG
- Stick welding with selectable VRD
- DC Lift-TIG (optional torch) for mild and stainless steel
- LED digital screen
- 10A domestic plug
- Includes MIG200 welder, MIG wire, helmet and gloves

ARCOMIG200PKG





Anti Spatter Spray

- Prevents spatter on workpieces and welding torches
- Unique formulation and viscosity means it offers exceptional adhesion to metal surfaces
- 360° valve can be applied in all positions
- · Non-flammable
- No residue
- · Biodegradable

BOH63647





General Purpose Welding Electrodes

- Rutile-cellulosic coated electrode with good weldability in all positions
- E6013 classification for general purpose use
- Ideal for small welding machines, with very good operating characteristics
- Versatile applications in structural welding, vehicle construction, shipbuilding, boilers and tank welding

BOH60130HV2.5 2.5MM BOH60130HV3.2 3.2MM BOH60130HV4.0 4.0MM



Stainless Welding Electrode 316L-16

- · Low carbon, core wire alloyed
- For same type steels including higher carbon-steels and ferritic 13% chrome steels
- · 316L-16 classification

BOH316LR2.5 2.5-5KG **\$243** BOH316LR3.2 3.2-5KG **\$246**



Evolution Vision Welding Helmet

Bohler Evolution Vision65f flip up welding helmet & grinding lens.

- Flip-up design
- · High-impact and heat-resistant nylon shell
- UHD display 1/1/1/1 classification
- 4-8 and 9-14 shade adjustment
- Clear grinding lens with wide 65x96mm viewing area

BOH87127



Flux Core Mig Wire 1.2MM

Bohler Q71T co2 flux cored mig wire grade 3 72170

- Suitable for butt and fillet welding of hulls, storage tanks, steel structures and bridges
- Rutile flux cored wire with fast freezing slag
- Excellent welding characteristics in all positions
- For use with CO2 shielding gas
- · Easy slag removability with low spatter level
- · Smooth and well-shaped beads

BOHQ71T1CO21.2



Bohler Suitcase Kit MMA Tig DC 5-150 Amp

Smallest Pulse Tig Machine on the Market and certainly punches above it's weight.

BOHURANOS1500TLH



Maintenance & Repair Electrode

- · Ideal for joining hard-to-weld steels
- All-purpose use for maintenance and repair applications
- · E299R32 classification

BOHUTP652.5 2.5MM **\$201** BOHUTP653.2 3.2MM **\$202**

SUPER SPECIALS



Blundstone Boots

150mm zip side safety boot size 5 to 14.

- TPU outsole: developed for protection, traction and support
- Steel toe cap: cut-resistant and tested to resist a 200-joule impact
- Cushioning footbed: built to ventilate, controlling moisture when you move Comfort system: brings stability, balance and movability
- Infinergy®: E-TPU material is a super elastic energy foam from BASF
- Certified to AS 2210.3:2019 / ASTM F2413-18 including EH (clause 5.6)

BLUN9061 Steel Black \$239 BLUN8060 Wheat Nubuck \$259

355MM Cut Off Saw

SUPER SPECIALS



Heavy Duty 125MM Grinder

Hikoki 125mm angle grinder hd 1400w.

- · Heat-resistant, super high-powered motor
- Sleek, low-profile head
- Strong alloy gearbox
- Spindle-lock and ergonomically angled side handle

G13SB4(G1Z)



Disposable Nitrile Gloves

Glove pro disposable heavy duty nitrile.

MDNPFHD-S MDNPFHD-M MDNPFHD-L MDNPFHD-XL ΧI MDNPFHD-2XL 2XL





Hikoki Drill/Driver Kit

Hikoki 36v brushless combo kit impact drill impact driver.

- DV36DC 36V 13mm 155Nm impact drill
- WH36DC 36V 1/4" 215Nm triple hammer impact driver
- Kit includes 2x 1,080W batteries, 32min rapid smart charger and case

KC36DC(GRZ)



Jamec Pem air hose reel 20m pro series.

- · Hose layering system
- Auto lock and auto rewind
- Solid brass internal spindle
- Adjustable hose stop
- Controlled hose return for safety
- Includes extreme reinforced ultraflex hose
- Wall mount with 180° pivot
- Weather resistant UV stabilised polypropylene case
- 2m leader hose with brass fittings

JP58.5034

Digital Tyre Inflator

Jamec Pem tyre inflator tdr 3000 digital.

- Diecast aluminium body with steel lever and impact absorbing rubber bumper
- Wire-sheathed hose eliminates kinking
- Ergonomically designed trigger with two-click action
- Accuracy exceeds EC standards
- Auto on/off with large backlit digital display JP10.3012

JP10.3012





Drill Set 1-13MM

Drill set 1-13x0.5mm p&n abs e3m/em3.

- General purpose drill bits
- · Designed for machine and hand held drilling in a wide range of ferrous and non-ferrous materials such as steel, aluminium, brass, wood and plastics

ЕЗМ



Riggamate cowgrain natural glove.

- Winged thumb with a stitch-free palm
- Outstanding durability and comfort · High quality cow grain leather
- CGL41NM CGL41NL CGL41NXL CGL41N2XL



Tsunami safety spec clear lens.

- Medium impact
- 99.9% UV protection
- One piece polycarbonate wrap around lens
- Close fitting and lightweight for all day comfort

1600



Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services.



Find a location near you!

Scan the **QR Code** to find out more or visit Motion.co.nz











